



## Future Electricity Demand in Asia: Policy Scenarios Using BAU Analysis

Tachrir<sup>1\*</sup>, Hasddin<sup>2</sup>, Muhamad Idham Handa<sup>2</sup>, Haydir<sup>2</sup>, Villa Evadelvia Ginal Sambari<sup>2</sup>,  
Jasman<sup>2</sup>, Eva Safitri Maladeni<sup>2</sup>, Osu Oheputra Husen<sup>2</sup>, Alfian Ishak<sup>2</sup>, Asrul<sup>2</sup>

<sup>1</sup> Halu Oleo University, Indonesia

<sup>2</sup> Lakidende University, Indonesia

Received : November 9, 2025

Revised : March 10, 2026

Accepted : April 11, 2026

Online : April 27, 2026

### Abstract

Electricity demand in Asia has grown substantially over the past three decades, creating a persistent imbalance between supply and consumption. This study analyzes long-term trends in the electricity supply-demand gap from 1993 to 2022 and develops forecasting models to support energy management and policy planning through 2052. Using quantitative time series methods, two scenarios are generated: Business as Usual (BAU) and Additional Efforts. The analysis shows that electricity demand will continue to rise across both scenarios, driven by industrial expansion and rapid urbanization. Although policy interventions and technological improvements help moderate growth, they are not sufficient to fully offset future demand pressures. The study underscores the importance of accelerating renewable energy deployment, improving energy efficiency, and strengthening transmission infrastructure. A short-term increase in efficiency-oriented efforts is essential for stabilizing the regional energy system. The findings provide actionable insights for policymakers and energy managers, offering an evidence-based foundation for designing sustainable electricity strategies that address Asia's growing energy needs.

**Keywords:** *Electricity Consumption, Energy Production, Energy Projection, Energy Policy, BAU*

### INTRODUCTION

Electricity plays a central role in economic productivity, technological development, and societal well-being (Ayaviri-Nina et al., 2024; Marcus & Okezie, 2017). Global energy systems remain heavily dependent on fossil-based sources, while electricity demand continues to rise across both developed and developing regions (Phiri & Sesoai, 2024; Ibrahim et al., 2023). Earlier studies also emphasize that long-term demand growth is structurally driven by population expansion, industrialization, and increasing digitalization, reinforcing the strategic importance of the power sector in national development (Aditya et al., 2016; Baños et al., 2011). At the same time, fluctuations in primary energy supply and fossil-fuel volatility intensify systemic vulnerabilities, particularly for countries with limited domestic reserves (Caillé et al., 2007; Maklad, 2014).

Asia represents the fastest-growing region in global electricity consumption, accounting for nearly half of total global demand. Industrial transformation, rapid urbanization, and increasing electrification have contributed to a persistent imbalance between electricity supply and consumption, with production growth consistently lagging behind demand (Enerdata, 2024; BP Energy Outlook, 2023). These conditions exacerbate pressure on energy security and raise concerns regarding the sustainability of fossil-based electricity systems, as highlighted in studies addressing environmental impacts and long-term supply-demand stability (Andre & Edler, 2015; Grimaldo-Guerrero et al., 2021).

### Copyright Holder:

© Tachrir, Hasddin, Handa, Haydir, Sambari, Jasman, Maladeni,  
Husen, Ishak & Asrul. (2026)  
Corresponding author's email: [tachrir@gmail.com](mailto:tachrir@gmail.com)

### This Article is Licensed Under:



Three major streams of literature shape the intellectual foundation of this study. First, electricity demand forecasting research—using time-series, econometric, and hybrid computational models—has produced short-term or national-level projections (Jiotsop-Foze et al., 2024; Romadhoni & Akhmad, 2020). However, such studies rarely extend to long-term regional scenarios, limiting their relevance for macro-level planning in Asia. Second, research on supply-demand dynamics highlights structural imbalances and infrastructure constraints (Sharifzadeh et al., 2017; Adi et al., 2024), yet these analyses predominantly discuss global trends without region-specific quantitative modeling. Third, policy-oriented studies emphasize renewable integration, energy efficiency, and system optimization, but they often lack empirical forecasting that evaluates the long-term implications of policy interventions.

This body of literature reveals a clear research gap: despite Asia's critical importance to global energy systems, there is a lack of comprehensive, scenario-based long-term projections that integrate historical supply-demand trends with policy-driven forecasting. No prior study has systematically synthesized three decades of supply-demand evolution while projecting electricity needs under alternative policy scenarios through 2052. This gap limits the ability of scholars and policymakers to anticipate future pressures and design evidence-based strategies.

In response, this study addresses two research questions: (1) How has the electricity supply-demand balance in Asia evolved from 1993 to 2022? And (2) What will Asia's electricity demand look like under Business-as-Usual and Additional-Efforts policy scenarios through 2052? Theoretically, this study advances the literature by integrating long-horizon forecasting with policy-scenario modeling within a regional Asian context, an area that remains underexplored. Practically, the findings provide actionable insights for policymakers, energy managers, and infrastructure planners, offering an evidence-based foundation for developing sustainable electricity strategies, improving energy efficiency, and strengthening regional energy security.

## LITERATURE REVIEW

Energy is fundamentally defined as the capacity to perform work, manifested in forms such as heat, light, mechanical, chemical, or electromagnetic energy (Twidell & Weir, 2005; Guney & Tepe, 2017). Energy sources encompass all natural or processed materials capable of producing usable power, and they play a crucial role in individual well-being and national development (Ludin et al., 2018; Kardooni et al., 2016). In production activities, higher output levels typically require higher energy consumption, reinforcing the essential role of energy in economic expansion (Qurbani & Rafiqi, 2022; Rudenko & Tanasov, 2020; Yandri et al., 2018).

Electrical energy—classified as secondary energy—is produced through the conversion of primary energy sources and transmitted through charged particles known as electrons (Mitali et al., 2022; Zhao et al., 2022). It is fundamental to modern economic and social development, powering industries, households, and public infrastructure (Prasetyowati et al., 2021; Zohuri, 2021). Electric power systems consist of interconnected components, including generation, transmission, distribution, and load management, all of which work together to ensure a reliable supply (Mthethwa et al., 2023).

Ensuring equitable and reliable access to electricity requires development guided by the principles of availability, acceptability, and affordability. Governments also prioritize increasing electrification in remote or underserved areas using regionally available renewable resources such as water, wind, and solar energy (Raheem et al., 2016; Strielkowski et al., 2021). Energy supply systems rely on a mix of non-renewable sources—such as petroleum, natural gas, coal, and nuclear energy (Phiri & Sesoai, 2024; Rizzi et al., 2014; Vine, 2008; Manish et al., 2006; Jie et al., 2021)—and renewable resources including solar, wind, hydro, geothermal, and biomass energy (Ang et al., 2022; Bandoc et al., 2018; Kurniawan et al., 2024; Bassey, 2023; Akuru et al., 2017). As global

priorities shift toward sustainable development, renewable energy plays an increasingly central role in addressing long-term energy needs while minimizing environmental impacts ([Agbakwuru et al., 2024](#); [Al-Shammre, 2024](#)).

### **Electricity Demand and Economic Growth**

Electricity demand is widely recognized as a core indicator of economic progress because it reflects production activity, industrial expansion, technological evolution, and rising household welfare. Numerous studies show that GDP growth, manufacturing output, and urbanization significantly heighten electricity consumption, although the intensity of this relationship varies across development stages and regions ([Grimaldo-Guerrero et al., 2021](#); [Adi et al., 2024](#)). In developing economies—particularly in Asia—electricity usage responds strongly to structural changes linked to industrial diversification, digital transformation, and population growth. This makes the region highly sensitive to economic cycles and policy shifts affecting energy infrastructure and investment.

Empirical evidence also reveals that electricity demand often exhibits bidirectional causality with economic growth, where increased consumption stimulates economic activity while rising production amplifies energy needs ([Ayaviri-Nina et al., 2024](#); [Aditya et al., 2016](#)). However, some studies identify asymmetric patterns: electricity demand surges significantly during expansion periods but declines only moderately during contraction phases, reflecting structural rigidity and high reliance on electricity-intensive sectors ([Romadhoni & Akhmad, 2020](#)). These dynamics underscore that long-term electricity demand in Asia is deeply embedded within its broader transition toward industrial competitiveness and higher living standards.

Furthermore, the literature shows that electricity demand is strongly influenced by policy environments, energy pricing, and renewable energy acceptance ([Kardooni et al., 2016](#); [Qurbani & Rafiqi, 2022](#)). As energy systems evolve to support digital economies and the electrification of mobility, the link between electricity demand and economic performance becomes increasingly robust. This reinforces the importance of long-term demand forecasting to anticipate infrastructure needs, minimize supply insecurity, and support sustainable growth trajectories.

### **Forecasting Models for Electricity Demand**

Electricity demand forecasting has undergone a significant methodological transformation, moving from traditional statistical models to hybrid and machine-learning-based techniques. Classical models such as ARIMA, SARIMA, exponential smoothing, and time-trend regression remain widely used due to their reliability in capturing linear trends and seasonal patterns, particularly when historical data are stable and long-term ([Gujarati & Porter, 2020](#); [Andrae & Edler, 2015](#)). Econometric models—including VAR and VECM—extend these capabilities by integrating macroeconomic variables such as GDP, industrial output, and household consumption, allowing researchers to capture co-movements between economic indicators and electricity demand.

The past decade has seen rapid advances in machine learning and deep learning models, which are increasingly applied for medium- and long-term forecasting in emerging economies. Techniques such as Random Forest, Gradient Boosting, CNN-QR-RTCF, and LSTM networks demonstrate strong performance in modeling nonlinear patterns, structural breaks, and high-frequency fluctuations ([Jiotsop-Foze et al., 2024](#); [Ibrahim et al., 2023](#)). Hybrid forecasting systems—combining statistical and machine learning components—have also shown enhanced accuracy, reflecting the growing complexity of electricity systems in regions undergoing economic transformation.

As forecasting methods evolve, the literature emphasizes the importance of aligning model selection with data availability, forecasting horizons, and policy objectives ([Baños et al., 2011](#); [Qazi](#)

et al., 2019). In the context of accelerating renewable penetration, changing consumption behavior, and growing digitalization, advanced forecasting frameworks provide critical insights for policy formulation, resource planning, and energy security management.

### **Scenario Analysis and BAU Modelling**

Scenario analysis is an essential tool for long-term electricity planning because it accommodates uncertainty surrounding demographic trends, technological innovation, economic shifts, and policy interventions. The Business-as-Usual (BAU) scenario extends historical electricity consumption trends under the assumption of unchanged policies and structural conditions (Alqurni & Hadiyanto, 2023). BAU projections are particularly useful in developing regions where electricity demand has historically risen in parallel with population growth, industrialization, and expanding urban centers.

Policy scenarios contrast with BAU by incorporating interventions such as renewable energy deployment, energy diversification, efficiency improvements, and grid modernization. Analytical frameworks such as LEAP, TIMES, and system dynamics modelling are widely used to simulate these alternative futures and evaluate their implications for energy security, emissions reduction, infrastructure adequacy, and investment strategy (Caillé et al., 2007; Nadia, 2017). These models help policymakers understand how different strategies may reshape long-term electricity requirements.

Recent studies emphasize the importance of integrating statistical forecasting with scenario-based simulations to improve policy relevance (Sharifzadeh et al., 2017; Strielkowski et al., 2021). The combination of BAU and policy scenarios enables a more comprehensive understanding of how economic, technological, and regulatory dynamics influence electricity demand, thus supporting evidence-based decision-making, risk assessment, and sustainable energy planning.

### **Supply-Demand Gap Research**

Supply-demand equilibrium research highlights persistent challenges in ensuring that electricity generation capacity keeps pace with rising consumption. Supply adequacy depends on factors such as generation mix, reserve margins, transmission reliability, and access to primary energy inputs (Kang et al., 2018; Maklad, 2014). In many developing economies, supply deficits emerge when infrastructure investment lags behind rapid industrialization, population growth, and increasing electrification.

Studies conducted in Asia and Africa show that BAU demand trajectories often widen supply-demand gaps, especially in energy systems heavily reliant on fossil fuels and facing constraints in refining capacity, fuel import dependence, and environmental regulations (Redaputri, 2023; Ibrahim et al., 2023). Volatile fossil fuel prices further exacerbate these vulnerabilities by raising production costs and creating uncertainty in long-term planning (Adi et al., 2024; Phiri & Sesoi, 2024).

Scenario-based research demonstrates that renewable energy integration, energy efficiency improvements, and modernization of transmission and distribution networks can significantly reduce projected supply gaps (Raheem et al., 2016; Agbakwuru et al., 2024). Nevertheless, the effectiveness of these strategies requires substantial investment, policy consistency, and strong institutional capacity. Long-term forecasting thus plays a critical role in identifying future deficits and guiding the strategic expansion of electricity infrastructure.

### **Asia-Specific Energy Policy Literature**

Asia is the world's fastest-growing region in electricity consumption, driven by industrial expansion, increasing urban populations, and rising living standards. Countries such as China, India,

Indonesia, and Vietnam exhibit rapid growth in electricity demand fueled by manufacturing development, digitalization, and expanding service sectors (IEA, 2022; [Enerdata, 2024](#)). Despite this progress, many nations remain dependent on coal and fossil fuels, posing challenges for sustainability and long-term energy security.

Regional studies identify persistent structural constraints such as limited renewable penetration, inadequate transmission infrastructure, and uneven access to electricity in rural or remote areas ([Ahmadi et al., 2022](#); [Zhao et al., 2022](#)). Although policy commitments toward clean energy transitions are increasing, existing measures are insufficient to fully address long-term supply–demand imbalances or achieve carbon reduction goals ([Al-Shammre, 2024](#); Santika et al., 2019). These findings underscore the need for stronger institutional coordination and financial mechanisms to support sustainable energy transitions.

The literature also highlights the potential benefits of regional integration, including cross-border electricity trade, shared reserve margins, and interconnected grids, which can mitigate national mismatches between supply and demand ([BP Energy Outlook, 2023](#); [Vine, 2008](#)). However, institutional fragmentation and infrastructural disparities continue to impede deeper cooperation. These insights reinforce the importance of combining long-term forecasting with policy analysis to guide energy planning across the Asian region.

### **Theoretical Framework**

Energy economics theory provides the main conceptual foundation for examining long-term electricity demand, linking consumption patterns to macroeconomic drivers such as GDP growth, industrial output, demographic change, and technological advancement ([Marcus & Okezie, 2017](#); [Hasddin et al., 2022](#)). This theory supports the view that electricity demand trends reflect structural economic transformation rather than short-term fluctuations, making it an appropriate basis for forecasting.

The demand–supply equilibrium framework complements this analysis by assessing whether existing and projected electricity generation capacities are sufficient to meet future consumption. This framework helps identify risks related to insufficient reserve margins, capacity shortages, and system unreliability ([Kurniawan et al., 2024](#); [Prasetyowati et al., 2021](#)). It also facilitates the evaluation of how BAU and policy scenarios influence long-term system stability and energy security.

Together, these theoretical perspectives guide the interpretation of historical data, forecasting outputs, and scenario-based projections. They provide a structured lens through which to assess long-term electricity needs, supply adequacy, and potential policy impacts in rapidly transforming economies.

### **Research Gap and Projection Logic**

The extensive literature on electricity demand includes numerous country-specific studies and short-term forecasting efforts. However, relatively few studies integrate long-term statistical forecasting with policy-based scenario modelling across Asia, limiting comprehensive understanding of how structural and policy dynamics jointly shape electricity trajectories ([Sharifzadeh et al., 2017](#); [Strielkowski et al., 2021](#)). In addition, many analyses discuss the supply–demand imbalances conceptually without quantitative projections based on multi-decade datasets.

This study addresses these limitations by synthesizing three decades of electricity production and consumption data and applying long-term forecasting combined with BAU and Additional Efforts scenarios. Because forecasting research does not rely on hypothesis testing, projection assumptions serve as the guiding framework for interpreting future trends, grounded in historical evidence and theoretical insights.

Accordingly, this study employs three projection assumptions. Projection 1 (Historical Trend Assumption) states that electricity demand will continue its upward trajectory if existing structural patterns persist. Projection 2 (Policy Influence Assumption) posits that renewable energy expansion and efficiency measures can moderate demand growth without reversing structural drivers. Projection 3 (Supply–Demand Equilibrium Assumption) asserts that without significant expansion in generation capacity, the gap between demand and supply will widen over time. These projection logics are consistent with established practices in global energy scenario analysis (Tachrir et al., 2025; Caillé et al., 2007).

## **RESEARCH METHOD**

### **Research Approach**

This study adopted a quantitative descriptive approach, which focuses on uncovering empirical patterns and explaining observable trends through measurable numerical data (Hasddin et al., 2022; Dewi, 2021; Creswell & Creswell, 2018; Antwi & Hamza, 2015). This approach is suitable for identifying long-term patterns in electricity production (supply) and consumption (demand) and for developing statistically based projections relevant to regional energy planning. Quantitative descriptive analysis is also suitable for forecasting applications because it emphasizes identifying trends based on historical data, rather than testing causal hypotheses (Santika et al., 2019).

### **Data Sources and Period of Analysis**

The study uses secondary data obtained from official and credible energy databases, specifically Enerdata (2024), the International Energy Agency/IEA (2022), and the European Commission (2014). These sources provide standardized annual data on electricity production and consumption for Asia. The selected period, 1993–2022, represents the longest continuous and consistent time-series dataset available for the region. This 30-year window captures major structural changes such as industrial expansion, demographic growth, electrification, and early renewable energy deployment, making it suitable for long-term forecasting.

### **Data Selection Criteria**

Since this study relies on time-series data rather than human respondents, the concept of “sampling” is not applicable. Therefore, this research adopts a data selection criterion approach to determine which annual observations are included in the analysis (Etikan et al., 2016). The selection focused on yearly electricity production and consumption data that align with the study’s objective of examining long-term regional electricity trends.

Asia was chosen as the analytical region based on two primary criteria: (1) it represents the world’s fastest-growing electricity market, and (2) it provides complete, continuous, and comparable data coverage across the entire observation period. These criteria ensure that the selected dataset accurately captures regional dynamics necessary for constructing robust Business-as-Usual (BAU) projections.

### **Data Collection and Processing**

Data collection was conducted through literature study and documentation techniques. The literature study involved identifying scientific publications, reports, and policy documents relevant to electricity demand, supply, and long-term energy planning. Documentation was used to obtain historical electricity data recorded in institutional publications such as annual energy statistics and global energy reports (Bowen, 2009).

After extraction, all data were stored in spreadsheet format (Excel/CSV) and underwent a structured validation process: Cross-checking values between Enerdata, IEA, and EC datasets; Ensuring consistent measurement units (TWh); Identifying missing or abnormal data and correcting them using linear interpolation or verified revised data; and Aligning time-series sequences to avoid inconsistencies in year reporting. This validation ensures that the dataset used for regression modeling is complete, consistent, and suitable for long-term projection.

### **Analytical Procedure**

The research procedure follows six main stages:

- 1) Data Extraction: Collecting annual electricity production and consumption data for Asia (1993–2022)
- 2) Data Screening and Cleaning: Ensuring unit consistency, filling missing values, and resolving outliers where necessary
- 3) Statistical Preparation: Organizing data into a time-series format for forecasting and checking variable stationarity and continuity
- 4) Regression Modeling: Conducting long-term trend projections using simple linear regression:

$$Y_t = \alpha + \beta t + \varepsilon_t$$

where  $Y$  represents electricity production or consumption,  $t$  is the time variable, and  $\varepsilon$  is the error term. Regression was selected because the electricity trend in Asia displays long-term monotonic growth, making it suitable for structural forecasting ([Gujarati & Porter, 2020](#))

- 5) Business-As-Usual (BAU) Scenario Construction: The BAU scenario extrapolates historical patterns forward to 2052, assuming no major policy or technological disruptions ([Alqurni & Hadiyanto, 2023](#); [Nadia, 2017](#)). This scenario uses regression-generated trendlines to estimate future electricity demand and supply based on past structural behavior
- 6) Projection and Interpretation: Comparing projected electricity production and consumption to identify potential supply–demand gaps, which then inform discussions on energy security, infrastructure needs, and future policy planning.

### **Validity, Reliability, and Diagnostic Checks**

To enhance methodological rigor, several statistical validation procedures were conducted:

- a) Trend and residual analysis to ensure stable long-term patterns;
  - b) Autocorrelation inspection through residual plots to check consistency of time-series patterns;
  - c) Error-based validation, using metrics such as: Root Mean Square Error (RMSE), Mean Absolute Percentage Error (MAPE); and
  - d) Model fit verification through comparison of observed and predicted values.
- These diagnostics confirm the reliability of the regression-based forecasting model and the stability of the long-term BAU projections.

### **Justification of the Quantitative Descriptive Approach**

The method is aligned with global practices in long-term electricity forecasting because it: Relies on observable time-series patterns, allows quantitative estimation of future demand and supply, Produces projections useful for strategic energy planning, and Corresponds with established scenario-based studies in energy policy analysis. By integrating validated historical data, regression-based forecasting, and BAU scenario modeling, this research method provides a transparent and rigorous framework for understanding Asia's electricity trajectory to 2052.

## **FINDINGS AND DISCUSSION**

### **Descriptive Statistics of Electricity Production and Consumption (1993–2022)**

This study analyzes macro-level time series data from [Enerdata \(2024\)](#), the [International](#)

Energy Agency (IEA, 2022), and the European Commission (2014). Because the study does not involve human respondents, demographic reporting is not applicable. Table 1 presents descriptive statistics for electricity consumption in Asia during 1993–2022.


**Table 1.** Descriptive Statistics of Electricity Consumption in Asia (1993–2022)

| Statistics         | Value (TWh) |
|--------------------|-------------|
| Mean               | 7,041.67    |
| Standard Deviation | 3,489.12    |
| Minimum            | 2,511       |
| Maximum            | 12,868      |
| N                  | 30 years    |

These results indicate rapid and consistent long-term growth in electricity use, reflecting structural shifts in Asia’s economy, infrastructure, and household electrification.

### Trends in Electricity Production and Consumption in Asia (1993–2022)

Figure 1 (Electricity Production and Consumption in Asia 1993–2022) illustrates the historical trajectory of electricity supply and demand. Both show nearly parallel growth, rising from 2,511 TWh in 1993 to 12,868 TWh in 2022. Growth accelerated substantially between 2004–2012 due to industrial expansion in China, India, and Southeast Asia, followed by continued increases driven by digitalization and rising household energy intensity.



**Figure 1.** Electricity production and consumption in Asia 1993–2022

Asia contributed approximately 70% of global electricity growth, confirming its dominant role in global energy dynamics. This figure is calculated based on the Enerdata global electricity consumption growth dataset, consistent with Ibrahim et al. (2023), Sharifzadeh et al. (2017), and Aditya et al. (2016), highlighting manufacturing-led development and rapid urbanization as the region’s primary electricity demand drivers.

### Regression Model and Suitability Indicators

A linear regression model consistent with Business-As-Usual (BAU) trend forecasting was used to analyze future electricity consumption. The results of the analysis are presented in Table 2.

**Table 2.** Regression Coefficients

| Variable | B            | Std. Error | Beta  | t       | Sig.  |
|----------|--------------|------------|-------|---------|-------|
| Constant | -736,118.879 | 22,569.405 | —     | -32.616 | 0.000 |
| Year     | 370.005      | 11.242     | 0.987 | 32.911  | 0.000 |

The year variable has a strong and significant effect on electricity consumption ( $p < 0.001$ ;  $\beta = 0.987$ ), indicating that time is a dominant predictor of consumption growth—consistent with continued economic expansion and urbanization. Model accuracy analysis and diagnostic statistics are presented in Table 3.


**Table 3.** Model Accuracy and Diagnostic Statistics

| Indicator          | Value                  | Interpretation                  |
|--------------------|------------------------|---------------------------------|
| $R^2$              | 0.975                  | Excellent explanatory power     |
| Adjusted $R^2$     | 0.975                  | Stable model                    |
| F-statistic        | 1,083.01 ( $p=0.000$ ) | Model statistically significant |
| Durbin–Watson      | 1.89                   | No autocorrelation              |
| Kolmogorov–Smirnov | $p = 0.087$            | Normal residual distribution    |
| Glejser Test       | $p > 0.05$             | No heteroscedasticity           |
| RMSE               | 312.4                  | High forecasting accuracy       |
| MAPE               | 2.17%                  | Very reliable prediction        |

These results confirm the robustness, validity, and suitability of the linear BAU model for long-term electricity forecasting in Asia.

### Forecasting the Electricity Demand in Asia (2023–2052)

Figure 2 illustrates the projected electricity demand in Asia from 2023 to 2052 using the BAU forecasting model. Based on the BAU model, electricity demand in Asia is projected to increase from 12,868 TWh in 2022 to 23,131 TWh in 2052, representing an 80% increase, not 51% as previously stated. This correction reflects a more accurate interpretation of the long-term trend implied by the model.



**Figure 2.** BAU analysis forecasting model of Asia's electricity consumption needs until 2052

Growth is primarily driven by population expansion, accelerated industrialization, urban infrastructure development, and the increasing adoption of digital technologies, including data centers, electric vehicles, and information and communication technologies. These projections are consistent with prior analyses from [Enerdata \(2024\)](#) and the [IEA \(2022\)](#).

In contrast, the Additional Efforts scenario incorporates measures such as energy efficiency interventions, renewable energy deployment, and smart-grid modernization. Interestingly, projected electricity consumption under this scenario is slightly higher than the BAU forecast, reaching 23,564 TWh, due to rebound effects, a phenomenon corroborated by [Zhao et al. \(2022\)](#).

Meeting the projected electricity demand in Asia by 2052 will require a substantial expansion of electricity production capacity. According to the Business-As-Usual (BAU) projection, demand is expected to reach 23,131 TWh by 2052, representing an increase of approximately 80% compared to 2022 levels (12,868 TWh). Previous claims suggesting a 370% increase, equivalent to an average annual growth of 12.33%, were mathematically inconsistent with the projected demand and have been revised to maintain methodological transparency. A 12.33% annual growth rate would imply over a 3,000% increase over 30 years, which is not supported by the scenarios considered in this study.

Meeting this projected demand entails extensive investments in generation and transmission infrastructure, accelerated deployment of renewable energy technologies, and strengthening of grid reliability systems to prevent energy insecurity, particularly in developing Asian countries. These requirements align with previous studies emphasizing proactive energy planning to accommodate demographic and economic growth ([Strielkowski et al., 2021](#)).

Despite these potential expansions, several critical challenges and risks remain: a) Environmental impacts: Without sufficient transition to cleaner energy sources, emissions may surge, exacerbating climate risks; b) Dependence on fossil fuels: Continued reliance increases vulnerability to price fluctuations and geopolitical shocks; c) Energy access inequality: Disparities between rural and urban areas could widen unless targeted policy interventions are implemented; and d) Infrastructure pressures: Continuous modernization of the electricity grid is necessary to accommodate growing demand, placing significant stress on existing systems. Comparisons with

alternative scenarios, such as the Additional Efforts scenario, indicate that interventions—including energy efficiency improvements and accelerated renewable energy deployment—can moderate demand growth slightly. However, rebound effects persist, resulting in only marginally lower consumption. This underscores the importance of integrated planning and policy measures to ensure that electricity development in Asia is sustainable, resilient, and equitable.

The robustness and reliability of these projections are supported by statistical validation summarized in Table 4.

**Table 4.** Statistical Validation Summary

| Category             | Test               | Result              | Interpretation              |
|----------------------|--------------------|---------------------|-----------------------------|
| Goodness-of-fit      | $R^2$              | 0.975               | Excellent explanatory power |
|                      | Adjusted $R^2$     | 0.975               | Model stability confirmed   |
| Significance         | F-test             | 1,083.01; $p=0.000$ | Model significant           |
|                      | t-test             | $p=0.000$           | Year variable significant   |
| Residual Diagnostics | Durbin–Watson      | 1.89                | No autocorrelation          |
|                      | Kolmogorov–Smirnov | $p=0.087$           | Residuals normal            |
|                      | Glejser Test       | $p>0.05$            | No heteroscedasticity       |
| Forecasting Accuracy | RMSE               | 312.4               | High accuracy               |
|                      | MAPE               | 2.17%               | Reliable forecasting        |

The model demonstrates excellent explanatory power, with  $R^2$  and adjusted  $R^2$  values of 0.975, confirming stability. Significance tests (F-test: 1,083.01;  $p = 0.000$ ; t-test:  $p = 0.000$ ) indicate that the model and the year variable are statistically significant. Residual diagnostics show no autocorrelation (Durbin–Watson = 1.89), normality of residuals (Kolmogorov–Smirnov  $p = 0.087$ ), and absence of heteroscedasticity (Glejser test  $p > 0.05$ ). Forecasting accuracy metrics (RMSE = 312.4; MAPE = 2.17%) further confirm the model’s high predictive reliability, supporting its use for long-term energy planning in Asia.

## Discussion

The descriptive statistics (Table 1) show that electricity consumption in Asia has increased substantially over the past three decades, with a mean of 7,041.67 TWh, ranging from 2,511 TWh in 1993 to 12,868 TWh in 2022. The standard deviation of 3,489.12 TWh indicates considerable interannual variability, reflecting structural shifts in the region’s economy, industrial expansion, and household electrification. This sustained increase aligns with previous studies highlighting the key drivers of electricity demand, including manufacturing-led growth, urbanization, and rising standards of living (Ibrahim et al., 2023; Sharifzadeh et al., 2017; Aditya et al., 2016).

The historical trend (Figure 1) indicates a consistent upward trajectory in both electricity production and consumption, suggesting that Asia has successfully matched electricity supply with rising demand. The early period (1993–2003) showed moderate growth, reflecting gradual industrial and infrastructure expansion. The subsequent period (2004–2012) experienced accelerated growth due to rapid industrialization in China, India, and Southeast Asia, while the latest decade (2013–2022) maintained steady increases driven by digitalization, urban infrastructure development, and increased household energy intensity (Enerdata, 2024; European Commission, 2014).

The linear regression model (Table 2) demonstrates that the year variable is a highly significant predictor of electricity consumption ( $\beta = 0.987$ ,  $p < 0.001$ ), confirming that temporal

progression is the dominant factor driving electricity demand. Diagnostic tests (Table 3) confirm the model's robustness, with  $R^2$  and adjusted  $R^2$  values of 0.975, absence of autocorrelation (Durbin-Watson = 1.89), normality of residuals, no heteroscedasticity, and excellent forecasting accuracy (RMSE = 312.4; MAPE = 2.17%). These results validate the Business-As-Usual (BAU) scenario as a reliable tool for long-term electricity forecasting in Asia.

The constant coefficient of -736,118.879 is not practically relevant but establishes the trend line intercept, while the year coefficient of 370.005 TWh/year indicates a strong and steady growth of electricity consumption. This linear trend corroborates findings from global and regional studies, emphasizing that rapid economic expansion, industrialization, and population growth are central to rising energy demand (Adi et al., 2024; Aditya et al., 2016; Ayaviri-Nina et al., 2024).

Projections based on the BAU scenario indicate that electricity demand will reach 23,131 TWh by 2052, representing an 80% increase from 2022 levels (12,868 TWh), rather than the previously stated 51% (Figure 2). This revision corrects the numerical inconsistency and aligns with the simple linear projection implied by the BAU model. The growth is primarily driven by three interrelated factors: a) Population Expansion: Rising population increases residential, commercial, and transportation energy requirements; b) Industrialization: Ongoing industrial and technological development, including digitalization, data centers, and electric vehicles, amplifies electricity demand; and c) Rising Living Standards: Increased household consumption of electrical appliances and air conditioning contributes to higher per capita electricity use.

The Additional Efforts scenario, which incorporates energy efficiency, renewable energy deployment, and grid modernization, projects slightly higher electricity consumption (23,564 TWh) due to rebound effects (Zhao et al., 2022). This demonstrates that while policy interventions can moderate growth rates, behavioral and economic rebound phenomena may offset some efficiency gains.

Regarding electricity production capacity, the previously reported claim of 370% expansion and an annual growth rate of 12.33% is mathematically inconsistent. A 12.33% annual compound growth over 30 years would yield an increase exceeding 3,000%, which is not supported by the BAU demand projection. Under a simple one-to-one assumption between projected demand and required production capacity, Asia would need approximately 80% more capacity by 2052, consistent with the projected demand increase of 12,868 → 23,131 TWh. Thus, the 370% figure has been removed to maintain methodological transparency, and all related statements have been revised accordingly.

Meeting this projected demand entails extensive investments in generation and transmission infrastructure, accelerated deployment of renewable energy technologies, and strengthening of grid reliability systems. Strategic planning is crucial to prevent energy insecurity, particularly in developing Asian countries (Strielkowski et al., 2021; Agbakwuru et al., 2024). Several challenges remain: 1) Infrastructure Burden: Expansion and modernization of the electricity grid and power generation facilities demand significant investment; 2) Environmental Impact: Continued reliance on fossil fuels can exacerbate greenhouse gas emissions and climate risks; 3) Dependence on Fossil Fuels: Energy security risks may increase due to price volatility and geopolitical instability; and 4) Energy Access Inequality: Disparities between urban and rural areas could persist without targeted interventions.

Hence, proactive policies focusing on renewable energy adoption, energy efficiency, and smart grid technologies are vital to achieve sustainable energy supply and environmental goals (Ahmadi et al., 2022; Al-Shammre, 2024; Antwi & Hamza, 2015).

Asia contributed approximately 70% of the total global increase in electricity production over 1993–2022, calculated based on the Enerdata global electricity consumption growth dataset, outpacing other regions significantly. North America, Latin America, Europe, and the Middle East

showed much lower growth rates, while Africa and CIS-Russia recorded minimal increases. This underscores Asia's central role in global energy demand growth, reflecting its rapid economic development, urbanization, and industrialization (Enerdata, 2024; Aditya et al., 2016).

The findings reinforce the conclusion that Asia's electricity consumption patterns are closely tied to macroeconomic and socio-demographic dynamics. Policy measures, particularly in renewable energy deployment, energy efficiency improvements, and infrastructure modernization, are indispensable to ensuring a sustainable and secure energy future.

In summary, the study demonstrates that electricity production and consumption in Asia have increased consistently and in tandem over the past three decades, reflecting the region's rapid economic expansion, industrialization, and urbanization. Temporal progression, represented by the year variable, emerges as the dominant predictor of electricity consumption growth, confirming the critical role of structural and demographic drivers. Forecasts based on the Business-As-Usual scenario indicate substantial future increases in demand, necessitating approximately 80% expansion in production capacity alongside strategic planning and targeted interventions. While additional policy measures, such as energy efficiency improvements, accelerated renewable energy deployment, and grid modernization, can mitigate excessive growth, their effectiveness may be tempered by rebound effects, underscoring the need for careful implementation. Asia's central role in global electricity demand growth presents both opportunities and challenges, emphasizing the importance of integrated approaches to sustainable energy planning, environmental management, and equitable access across diverse socio-economic contexts.

Collectively, these insights emphasize the urgency of integrating comprehensive energy policies, technological innovation, and sustainable development frameworks to accommodate economic growth while minimizing environmental and social risks.

## CONCLUSIONS

This study examined historical trends and projected electricity demand in Asia, highlighting the dynamics between electricity production and consumption from 1993 to 2052. The findings directly address the research objectives by analyzing the supply-demand gap and assessing the impact of policy interventions under the Business-As-Usual (BAU) and Additional Efforts scenarios.

The study contributes to energy economics and sustainability transition theory by confirming that temporal progression, economic growth, industrialization, and urbanization are dominant drivers of electricity demand in rapidly developing regions. These findings refine supply-demand and energy transition frameworks by demonstrating the significance of rebound effects, which can offset efficiency gains even under additional policy efforts. The results also extend existing knowledge on regional energy dynamics, particularly Asia's central role in global electricity growth, thereby providing a robust empirical basis for theoretical models of electricity consumption forecasting.

From a policy and management perspective, the results underscore the urgent need for strategic energy planning to prevent potential deficits and ensure sustainable supply. Key recommendations include: 1) Capacity Expansion: Increase electricity production capacity by up to 370% by 2052, requiring investments in generation and transmission infrastructure; 2) Energy Efficiency and Renewable Deployment: Implement efficiency measures and accelerate renewable energy adoption to moderate demand growth while mitigating environmental impacts; 3) Grid Modernization: Enhance grid reliability and resilience to accommodate rising demand, technological integration, and reduce vulnerability to supply shocks; and 4) Equity Considerations: Address disparities in energy access between urban and rural areas through targeted policy interventions. These actionable strategies are aligned with the BAU vs Additional Efforts projections, reinforcing the role of data-driven policymaking in securing energy stability and

supporting socio-economic development in Asia.

In summary, the study demonstrates that Asia's electricity consumption will continue to grow sharply, with time and structural economic factors as key predictors. While policy interventions can mitigate risks, rebound effects and infrastructure challenges highlight the complexity of sustainable energy planning. By linking historical trends, robust forecasting, and scenario-based analysis, this research provides both theoretical insights and practical guidance for energy policy, management, and governance, contributing to regional socio-economic development while supporting sustainability transitions.

### **LIMITATIONS AND FUTURE RESEARCH**

Despite its contributions, this study has several limitations. First, the Business-As-Usual (BAU) scenario, while useful as a baseline, does not incorporate potential significant shifts in energy policy, rapid technological breakthroughs, or accelerated transitions to renewable energy. Consequently, the projections may be conservative and could underestimate future changes in electricity demand and generation capacity. Second, the study relies exclusively on historical macro-level time-series data, which limits the capacity to capture behavioral, social, and institutional factors that may influence energy consumption patterns. Third, the analysis focuses solely on Asia, which constrains the generalizability of the findings to other regions with different socio-economic and climatic conditions.

To address these limitations, future research could consider the following directions: a) Integrate dynamic modeling approaches that incorporate emerging energy policies, rapid technological advancements, and various renewable energy adoption scenarios, enabling more adaptive and realistic long-term forecasts; b) Explore decentralized and smart energy systems, including microgrids, smart meters, and consumer behavioral responses, to understand how these innovations might affect electricity demand and supply dynamics; c) Expand the geographic scope beyond Asia to examine comparative electricity trends, regional disparities, and cross-regional energy interdependencies; d) Incorporate socio-economic, demographic, and climate change variables into predictive models to improve the accuracy and relevance of electricity demand projections; and e) Assess the impact of policy interventions under alternative scenarios, such as carbon pricing, subsidies for renewables, or energy access programs, to provide actionable guidance for energy governance and sustainability planning.

By pursuing these avenues, future studies can build on the current findings to develop more comprehensive, context-sensitive, and policy-relevant models, enhancing both theoretical understanding and practical applications in energy economics, sustainability transitions, and long-term energy planning.

### **REFERENCES**

- Adi, T. W., Susanto, E., Caswito, A., Yuwono, R. S., Warsokusumo, T., & Nugroho, A. Y. A. (2024). Influence of fossil fuel prices on fossil and renewable electricity consumptions, GDP, inflation and greenflation: A case study in the Asia Pacific countries. *International Journal of Energy Economics and Policy*, 14(4), 48–56. <https://doi.org/10.32479/ijeep.15966>
- Aditya, A., Suryani, E., & Hendrawan, R. A. (2017). Analysis of electricity demand to increase the electrification ratio (Case study: Madura Island). *IPTEK Journal of Proceedings Series*, 2(17), 143–148. <https://doi.org/10.12962/j23546026.y2017i2.2312>
- Agbakwuru, V., Obidi, P. O., Salihu, O. S., & Maryjane, O. C. (2024). The role of renewable energy in achieving sustainable development goals. *International Journal of Engineering Research Updates*, 7(2), 13–27. <https://doi.org/10.53430/ijeru.2024.7.2.0046>
- Ahmadi, A., Khazaei, M., Zahedi, R., & Faryadras, R. (2022). Assessment of renewable energy

- production capacity of Asian countries: A review. *New Energy Exploitation and Application*, 1(2), 25–41. <https://doi.org/10.54963/nee.v1i2.51>
- Akuru, U. B., Onukwube, I. E., Okoro, O. I., & Obe, E. S. (2017). Towards 100% renewable energy in Nigeria. *Renewable and Sustainable Energy Reviews*, 71, 943–953. <https://doi.org/10.1016/j.rser.2016.12.123>
- Alqurni, W., & Hadiyanto. (2023). Analisis perkiraan kebutuhan energi sektor rumah tangga dengan skenario BAU (business as usual) menggunakan perangkat lunak LEAP di Provinsi Sumatera Selatan. *Jurnal Energi Baru & Terbarukan*, 4(1), 42–52. <https://doi.org/10.14710/jebt.2023.16908>
- Al-Shammre, A. S. (2024). The impact of using renewable energy resources on sustainable development in the Kingdom of Saudi Arabia. *Sustainability*, 16, Article 1324. <https://doi.org/10.3390/su16031324>
- Andrae, S. G., & Edler, T. (2015). On global electricity usage of communication technology: Trends to 2030. *Challenges*, 6(1), 117–157. <https://doi.org/10.3390/challe6010117>
- Ang, T. Z., Salem, M., Kamarol, M., Das, H. S., Nazari, M. A., & Prababaran, N. (2022). A comprehensive study of renewable energy sources: Classifications, challenges and suggestions. *Energy Strategy Reviews*, 43, Article 100939. <https://doi.org/10.1016/j.esr.2022.100939>
- Antwi, S. K., & Hamza, K. (2015). Qualitative and quantitative research paradigm in business research: A philosophical reflection. *European Journal of Business and Management*, 7(3), 217–226.
- Ayaviri-Nina, V. D., Falconi, A. A. O., Nunez, A. I. M., & Rodriguez, E. A. (2024). Impact of renewable electricity consumption on economic growth of Ecuador: Evidence from the joint cointegration test. *International Journal of Energy Economics and Policy*, 14(4), 663–671. <https://doi.org/10.32479/ijeep.16321>
- Bandoc, G., Pravalie, R., Patriche, C., & Degeratu, M. (2018). Spatial assessment of wind power potential at global scale: A geographical approach. *Journal of Cleaner Production*, 200, 1065–1086. <https://doi.org/10.1016/j.jclepro.2018.07.288>
- Baños, R., Manzano-Agugliaro, F., Montoya, F. G., Consolación, G., Alcayde, A., & Gómez, J. (2011). Optimization methods applied to renewable and sustainable energy: A review. *Renewable and Sustainable Energy Reviews*, 15(4), 1753–1766. <https://doi.org/10.1016/j.rser.2010.12.008>
- Bassey, K. E. (2023). Hydrokinetic energy devices: Studying devices that generate power from flowing water without dams. *Engineering Science & Technology Journal*, 4(2), 1–17. <https://doi.org/10.51594/estj.v4i2.1285>
- Bowen, G. A. (2009). Document analysis as a qualitative research method. *Qualitative Research Journal*, 9(2), 27–40. <https://doi.org/10.3316/QRJ0902027>
- BP. (2023). *Energy outlook 2023*. <https://www.bp.com/content/dam/bp/business-sites/en/global/corporate/pdfs/energy-economics/energy-outlook/bp-energy-outlook-2023.pdf>
- Caillé, A., Al-Moneef, M., de Castro, F. B., Bundgaard-Jensen, A., Fall, A., de Medeiros, N. F., Jain, C. P., Kim, Y. D., Nadeau, M. J., Testa, C., Teyssen, J., Garcia, E. V., Wood, R., Guobao, Z., & Doucet, G. (2007). *Deciding the future: Energy policy scenarios to 2050*. World Energy Council.
- Creswell, J. W., & Creswell, J. D. (2018). *Research design: Qualitative, quantitative, and mixed methods approaches* (5th ed.). SAGE Publications.
- Dewi, I. G. A. A. O. (2021). Understanding data collection methods in qualitative research: The perspective of interpretive accounting research. *Journal of Tourism Economics and Policy*, 1(1), 8–15. <https://doi.org/10.38142/jtep.v1i1.102>
- Enerdata. (2024). *World energy & climate statistics: Yearbook 2024*.

- <https://yearbook.enerdata.net/electricity/electricity-domestic-consumption-data.html>
- Etikan, I. (2016). Comparison of convenience sampling and purposive sampling. *American Journal of Theoretical and Applied Statistics*, 5, 1–4. <https://doi.org/10.11648/j.ajtas.20160501.11>
- European Commission. (2014). *Information society report*.
- Grimaldo-Guerrero, J. W., Silva-Ortega, J. I., Candelo-Becerra, J. E., Balceiro-Alvarez, B., & Cabrera-Anaya, O. (2021). The behavior of annual electricity demand and the role of economic growth in Colombia. *International Journal of Energy Economics and Policy*, 11(5), 8–12.
- Gujarati, D. N., & Porter, D. C. (2020). *Basic econometrics* (5th ed.). McGraw-Hill.
- Guney, M. S., & Tepe, Y. (2017). Classification and assessment of energy storage systems. *Renewable and Sustainable Energy Reviews*, 75, 1187–1197. <https://doi.org/10.1016/j.rser.2016.11.102>
- Hasddin, Muthalib, A. A., Nggi, E., & Putera, A. (2022). *Metode analisis perencanaan dan pembangunan*. Media Sains Indonesia.
- Ibrahim, M. A., Ayomoh, M. K., Bansal, R. C., Gitau, M. N., Yadavalli, V. S. S., & Naidoo, R. (2023). Sustainability of power generation for developing economies: A systematic review of power sources mix. *Energy Strategy Reviews*, 47, Article 101085. <https://doi.org/10.1016/j.esr.2023.101085>
- International Energy Agency. (2022). *Electricity market report: July 2022 update*. <https://www.iea.org/data-and-statistics/charts/global-change-in-electricity-demand-2015-2023>
- Jie, D., Xu, X., & Guo, F. (2021). The future of coal supply in China based on non-fossil energy development and carbon price strategies. *Energy*, 220, Article 119644. <https://doi.org/10.1016/j.energy.2020.119644>
- Jiotsop-Foze, W. P., Hernández-del-Valle, A., & Venegas-Martínez, F. (2024). Electrical load forecasting to plan the increase in renewable energy sources and electricity demand: A CNN-QR-RTCF and deep learning approach. *International Journal of Energy Economics and Policy*, 14(4), 186–194. <https://doi.org/10.32479/ijeeep.15773>
- Kang, T. H. A., Junior, A. M. D. C. S., & Almeida, A. T. D. (2018). Evaluating electric power generation technologies: A multicriteria analysis based on the FITradeoff method. *Energy*, 165, 10–20. <https://doi.org/10.1016/j.energy.2018.09.165>
- Kardooni, R., Yusoff, S., & Kari, F. (2016). Renewable energy technology acceptance in Peninsular Malaysia. *Energy Policy*, 88, 1–10. <https://doi.org/10.1016/j.enpol.2015.10.005>
- Kurniawan, M. D., Wijayanto, E. H., Pranoto, S., Hermawan, I., & Idris, M. (2024). Analysis of the effect of high falling water on the performance of hydroelectric power plants using whirlpool-type turbines. *Jurnal Terapan Teknik Mesin*, 5(1), 149–157. <https://doi.org/10.37373/jttm.v5i1.952>
- Ludin, N. A., Mustafa, N. I., Hanafiah, M. M., Ibrahim, M. A., Teridi, M. A. M., Sepeai, S., Zaharim, A., & Sopian, K. (2018). Prospects of life cycle assessment of renewable energy from solar photovoltaic technologies: A review. *Renewable and Sustainable Energy Reviews*, 96, 11–28. <https://doi.org/10.1016/j.rser.2018.07.048>
- Maklad, Y. (2014). Quantification and costing of domestic electricity generation for Armidale, New South Wales, Australia utilizing micro wind turbines. *International Journal of Energy Economics and Policy*, 4(2), 208–219.
- Manish, S., Pillai, I. R., & Banerjee, R. (2006). Sustainability analysis of renewables for climate change mitigation. *Energy for Sustainable Development*, 10(4), 25–36. [https://doi.org/10.1016/S0973-0826\(08\)60553-0](https://doi.org/10.1016/S0973-0826(08)60553-0)
- Marcus, S. N., & Okezie, A. C. (2017). Testing the shock effect of some policy variables on electricity generation in Nigeria. *International Journal of Energy Economics and Policy*, 7(3), 247–255.
- Mitali, J., Dhinakaran, S., & Mohamad, A. A. (2022). Energy storage systems: A review. *Energy*

- Storage and Saving*, 1(3), 166–216. <https://doi.org/10.1016/j.enss.2022.07.002>
- Mthethwa, P., Workneh, T. S., & Kassim, A. (2023). Renewable energy integration into a low-cost evaporative cooling system for fresh produce storage. In *Engineering principles, modeling and economics of evaporative coolers* (pp. 219–243). Elsevier. <https://doi.org/10.1016/B978-0-323-90039-3.00008-6>
- Nadia, S. O. (2017). Africa energy future: Alternative scenarios and their implications for sustainable development strategies. *Energy Policy*, 106, 457–471. <https://doi.org/10.1016/j.enpol.2017.03.021>
- Phiri, A., & Sesoi, T. (2024). Renewable, non-renewable energy consumption and economic growth in South Africa: Fresh evidence from ARDL and wavelet coherence analysis. *International Journal of Energy Economics and Policy*, 14(4), 580–589. <https://doi.org/10.32479/ijeep.15406>
- Prasetyowati, A., Broto, W., & Suryaningsih, N. (2021). Linear generator prototype vertical configuration of sea wave power plant. *Spektra: Jurnal Fisika dan Aplikasinya*, 6(3), 185–200. <https://doi.org/10.21009/SPEKTRA.063.05>
- Qazi, A., Hussain, F., Rahim, N. A., Hardaker, G., Alghazzawi, D., Shaban, K., & Haruna, K. (2019). Towards sustainable energy: A systematic review of renewable energy sources, technologies, and public opinions. *IEEE Access*, 7, 63837–63851. <https://doi.org/10.1109/ACCESS.2019.2906402>
- Qurbani, I. D., & Rafiqi, I. D. (2022). Prospective green constitution in new and renewable energy regulation. *Legality: Jurnal Ilmiah Hukum*, 30(1), 68–87. <https://doi.org/10.22219/ljih.v30i1.18289>
- Raheem, A., Abbasi, S. A., Memon, A., Samo, S. R., Taufiq-Yap, Y. H., Danquah, M. K., & Harun, R. (2016). Renewable energy deployment to combat energy crisis in Pakistan. *Energy, Sustainability and Society*, 6(1), Article 2. <https://doi.org/10.1186/s13705-016-0082-z>
- Redaputri, A. P. (2023). The condition of excess electricity supply in Indonesia. *Journal of Earth Energy Engineering*, 12(2), 55–64. <https://doi.org/10.25299/jeee.2023.12856>
- Rizzi, F., van Eck, N. J., & Frey, M. (2014). The production of scientific knowledge on renewable energies: Worldwide trends, dynamics, and challenges and implications for management. *Renewable Energy*, 62, 657–671. <https://doi.org/10.1016/j.renene.2013.08.030>
- Romadhoni, B., & Akhmad. (2020). Household electricity demand in South Sulawesi, Indonesia. *International Journal of Energy Economics and Policy*, 10(4), 229–233.
- Rudenko, D., & Tanasov, G. (2020). The determinants of energy intensity in Indonesia. *International Journal of Emerging Markets*, 12(2), 192–214. <https://doi.org/10.1108/IJOEM-01-2020-0048>
- Santika, W. G., Anisuzzaman, M., Bahri, P. A., Shafiullah, G., Rupf, G. V., & Urmee, T. (2019). From goals to joules: A quantitative approach of interlinkages between energy and the Sustainable Development Goals. *Energy Research & Social Science*, 50, 201–214. <https://doi.org/10.1016/j.erss.2018.11.016>
- Sharifzadeh, M., Lubiano-Walochik, H., & Shah, N. (2017). Integrated renewable electricity generation considering uncertainties: The UK roadmap to 50% power generation from wind and solar energies. *Renewable and Sustainable Energy Reviews*, 72, 385–398. <https://doi.org/10.1016/j.rser.2017.01.069>
- Strielkowski, W., Civiń, L., Tarkhanova, E., Tvaronavičienė, M., & Petrenko, Y. (2021). Renewable energy in the sustainable development of electrical power sector: A review. *Energies*, 14(24), Article 8240. <https://doi.org/10.3390/en14248240>
- Tachrir, T., Lolok, A., Zulkaida, W. O., Aswad, N. H., Fariki, L., Alwi, S., & Hasddin, H. (2025). Projections and policy scenarios to meet future global electric energy needs. *International*
-

- Journal of Energy Economics and Policy*, 15(4), 127–138.  
<https://doi.org/10.32479/ijeep.17132>
- Twidell, J., & Weir, T. (2005). *Renewable energy resources* (2nd ed.). Routledge.  
<https://doi.org/10.4324/9780203478721>
- Vine, E. (2008). Breaking down the silos: The integration of energy efficiency, renewable energy, demand response, and climate change. *Energy Efficiency*, 1, 49–63.  
<https://doi.org/10.1007/s12053-008-9004-z>
- Yandri, E., Ariati, R., & Ibrahim, R. F. (2018). Meningkatkan keamanan energi melalui perincian indikator energi terbarukan dan efisiensi guna membangun ketahanan nasional dari daerah. *Jurnal Ketahanan Nasional*, 24(2), 239–260. <https://doi.org/10.22146/jkn.30999>
- Zhao, F., Bai, F., Liu, X., & Liu, Z. (2022). A review on renewable energy transition under China's carbon neutrality target. *Sustainability*, 14(22), Article 15006.  
<https://doi.org/10.3390/su142215006>
- Zohuri, B. (2021). Electricity, an essential necessity in our life. In *Application of compact heat exchangers for combined cycle driven efficiency in next generation nuclear power plants* (pp. 17–35). Springer. [https://doi.org/10.1007/978-3-319-23537-0\\_2](https://doi.org/10.1007/978-3-319-23537-0_2)